

MATERIAL SAFETY DATA SHEET

1	IDENTIFICATIO	N OF THE PRODUCT AND OF THE SUPPLIER
1.1	Product:	Value Regulated Lead-Acid (VRLA) Industrial Battery
	Classification:	Battery, wet, Non-Spillable, electric storage, Class UN2800.
	Product	Product PS, PG, PSG. PGFT. PSX, OPzV, PSH, PSGL, PHR, DCG, PDC.
	Relevant	Relevant identified uses:
	identified	* Product is a source of electrical energy for use with electrical and electronic equipment, Standby:
	uses of the	Telecoms; UPS; alarm and security systems; emergency lighting; utility switching Cyclic: Golf Trolleys,
	product and uses	portable tools, portable lighting, wheelchairs, remote telemetry Energy storage: Photovoltaic energy systems (PVES); wind turbines
	advised	Úses advised against:
	against	Automotive, commercial, and agricultural SLI applications
		Reason why uses advised against:
		High starting and ignition current demands beyond the design of internal and external current carrying components
	Detail of	Address: Power-Sonic Europe Ltd
	Supplier:	3 Buckingham Square
		Wickford Essex
		SS118YQ
		Contact: Ken Gainda Position: Technical Manager Telephone:
		01268 560686
		email: ken.gainda@power-sonic.co.uk
2	HAZARDS IDEN	
	VRLA Battery	*Non-Hazardous:- The VRLA Battery presents no chemical hazards during the normal operation provided our recommendations for handling, storage, transport and usage are observed
2.1	Classification	*This product does not meet the criteria for classification in any hazard class according to Regulation
	according	(EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. However a safety
	to CLP	data sheet is being supplied for it to meet customer's requirements for similar information.
2.1.1	Regulation (EC) Additional	*The following information is offered for general hazard considerations
		Mechanical VRLA Batteries can be heavy. Correct manual handling techniques and/or mechanical
		lifting aides (e.g. Fork Lift Truck) must be used
		Electrical VRLA Batteries can contain large amounts of electrical energy which can give high discharge currents and severe electrical shock of the terminals are short circuited.
		Chemical • VRLA Batteries emit hydrogen gas which is highly flammable and will form
		explosive mixtures in air from approx. 4% to 76%. This can be ignited by a spark at any
		voltage, naked flames or other sources of ignition • If the battery is broken and the internal components exposed, hazards may exist
		which require careful attention.
212	* In case of acci	dental damage causing cracks, splits or rupture of the battery case
		Metallic Lead, Lead alloys and Lead inorganic compounds:
	Active	Lead poisoning is usually caused by inhalation of minute particles of Lead fume and dust, which are
	Materials:	absorbed by the blood stream from the lungs and deposited in the bone marrow.
		 Lead is only slowly released from the bones and thus has an accumulative effect causing chronic poisoning. TOXIC by ingestion or inhalation of dust, vapour or fume
		May cause harm to the unborn child
		Harmful by inhalation and if swallowed
	Dattam	Danger of cumulative effects *Dilute Sulphysic acid. *Dilute Sul
	Battery electrolyte	*Dilute Sulphuric acid Severe IRRITATION and DAMAGE to internal tissues if swallowed, IRRITATION
	electrolyte	of eyes and skin and may cause BURNS and DERMATITIS.
\vdash	Battery case	*ABS (Acrylonitrile-Butadiene-Styrene Copolymer) Standard Grade, UL94:HB & Flame
	material	Retardant (V0) Grade, UL94:V0. No Hazard in normal use. Material can burn in a fire with toxic smoke and
		decomposition products.
	Separator	*Absorbent Glass Matt (AGM) Separator
	material	The fibres may cause IRRITATION to skin or eyes upon exposure, and to internal tissues if inhaled or swallowed.

¹ For full text of Hazard Statements (H-No's) see SECTION 16



Substances present in	the product				
Components	*Hazard Statement	Substances	Approximate % (W/W)	Chemical Symbol	CAS No.
Plate Grid	H301 H331	Metallic Lead Calcium Tin	30 to 40 < 0.1 <2	Pb Ca Sn	7439-92-1 7440-70-2 7440-31-5
Active Materials	H301 H311 H331	Lead Monoxide Lead Dioxide (Lead IV Oxide) Barium compound	< 0.1 35 to 45 < 1.5	PhO PbO ₂ Ba	1317-36-8 1309-60-0 7440-39-3
Battery Electrolyte	H302 ; H312 H314 ; H315 H319 ; H332 H335	Dilute Sulphuric Acid	10 to 20	H ₂ SO ₄	7664-93-9
Case Material		Standard Grade, UL94:HB • ABS (Acrylonitrile-Butadiene-Styrene Copolymer) Flame Retardant (FR) Grade, UL94:V0 • ABS (Acrylonitrile-Butadiene-Styrene Copolymer)	5 to 10		9003-56-
		Tetrabromobisphenol-A-diglycygilether with tribromophenol Antimony trioxide	5 to 10 <0.1		9003-56-9 40039-98
			<0.01		1309-64-4
Separator Material	H513 ; H319 H335 ; H351	Absorbent Glass Matt (AGM) Separator (100% Borosilicate Glass Microfiber)	2 to 5		65997-17

Inorganic lead and battery electrolyte (Dilute Sulphuric Acid) are the main components of VRLA batteries. Other substances may be present but in small amounts dependant on battery type. Contact Power-Sonic Europe Ltd for further information

4 FIRST AID MEASURES

This information is of relevance only if the VRLA Battery has suffered damage, is broken and persons have direct contact with the internal components

com	ponents		
	Components		Action
4.1	Plate Grids and Active Materials	Inhalation:	Remove the person from exposure to fresh air. Seek advice from a medical doctor
		Ingestion:	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting. Seek advice from a medical doctor
		Skin Contact:	Wash off with plenty of water and soap to prevent accidental ingestion or inhalation. Seek medical advice if pain or rash does not reduce
		Eye Contact:	Immediately irrigate with eyewash solution or clean water for at least 10 minutes, holding the eyelids apart. Then take the person to hospital without further delay
		Self-protection: for the first aider	Eye protection (safety glasses or face shield), and heavy-duty gloves are required. In case of inhalation, a face mask or respirator may be required
4.2	Battery Electrolyte		SPEED IS ESSENTIAL - OBTAIN IMMEDIATE MEDICAL ATTENTION
		Inhalation	Remove the person from exposure to fresh air. If the person continues to feel unwell seek advice from a medical doctor
		Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting. If the person continues to feel unwell seek advice from a medical doctor
		Skin Contact:	Drench *the area with large quantities of water. Remove contaminated clothing and place in water to dilute the acid Continue to wash the affected area for at least 10 minutes. Seek advice from a medical doctor
		Eye Contact: Self-protection for the first aider	SPEED IS ESSENTIAL - OBTAIN IMMEDIATE MEDICAL ATTENTION Immediately irrigate with eyewash solution or clean water for at least 10 minutes, holding the eyelids apart. Then take the person to hospital without further delay Eye protection (safety glasses or face shield), and heavy-duty gloves are required. In case of inhalation, a face mask or respirator may be required.

¹ For full text of Hazard Statements (H-No's) see SECTION 16



1.3	Case Material	Inhalation	Material can burn in a fire with toxic smoke and decomposition products
			Upon inhalation of decomposition products, keep patient calm, remove to fresh air, and seek advice from a medical doctor. If a large quantity is inhaled take the person to a hospital. Note to physician: Treat according to symptoms (decontamination, viral functions), no known specific antidote
		Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting If the person continues to feel unwell seek advice from a medical doctor
		Skin Contact:	Areas affected by molten material should be quickly placed under cold running water and a sterile protective dressing applied. Seek advice from a medical doctor.
		Eye Contact:	May cause irritation or injury due to mechanical action and traces of Battery Electrolyte. Immediately irrigate with eyewash solution or clean water for at least 10 minutes holding the eyelids apart. Then take the person to hospital without further delay
		Self-protection for the first aider	Eye protection (safety glasses or face shield), and disposable gloves are required. In case of inhalation, a face mask or respirator may be required.
.4	Separator Material	Inhalation	Remove patient from exposure to fresh air. If irritation persists, seek advice from a medical doctor
		Ingestion	Wash out mouth with water and give plenty of water to drink. Do not induce vomiting. If the person continues to feel unwell seek advice from a medical doctor.
		Skin Contact:	After contact with skin, wash immediately with plenty of soap and water. If irritation persists, seek advice from a medical doctor
		Eye Contact:	May cause irritation or injury due to mechanical action and traces of Battery Electrolyte. Immediately irrigate with eyewash solution or clean water for at least 10 minutes holding the eyelids apart. Then take the person to hospital without further delay
		Self-protection	Eye protection (safety glasses or face shield), and disposable gloves are required.
j	FIRE-FIGHTING AND EXP	for the first aider	In case of inhalation, a face mask or respirator may be required.
	VRLA Battery	General Information	VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approx. 4% to 76%. This can be ignited by a spark at any voltage, naked flames or other sources of ignition.
			 Batteries in use will be part of an electrical circuit and must be isolated from the power source before attempting to put out a fire. Switch the power OFF before disconnecting the batteries from the power source.
			Damaged batteries may expose negative plates, grey in colour, which may ignite if
			if allowed to dry out. These plates may be wetted down with water after the battery has been removed from all electrical circuits.
.1	*Extinguishing Media	Suitable	if allowed to dry out. These plates may be wetted down with water after the battery has
.1	*Extinguishing Media	extinguisher types:	if allowed to dry out. These plates may be wetted down with water after the battery has been removed from all electrical circuits. CO ₂ ; Foam; Dry Powder
.1	*Extinguishing Media	extinguisher types: Unsuitable	if allowed to dry out. These plates may be wetted down with water after the battery has been removed from all electrical circuits.
5.1	*Extinguishing Media *Special hazards	extinguisher types:	if allowed to dry out. These plates may be wetted down with water after the battery has been removed from all electrical circuits. CO ₂ ; Foam; Dry Powder

Note: If appropriate refer to Sections 8 and 13



Components		
VRLA Battery	*General Information:	VRLA batteries are designed to be safe to handle and not to leak battery electrolyte under normal conditions. In case of accidental damage heavy-duty gloves are required to pick-up the battery to protect against unseen electrolyte leakage *and sharp components
Plate Grids and Active Materials	Personal Precautions:	Eye protection (safety glasses or face shield), and heavy-duty gloves are required. If the material is wet, a face mask or respirator is not required If the material is dry, a face mask or respirator is required
	Environmental Precautions:	Do not allow material to enter a watercourse. Exposed Lead *compounds must be placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
	Methods & material for containment and cleaning up:	Large, solid pieces may be picked up and bagged for recycling. Never use a brush to sweep up debris; it may create Lead-dust in the air. Wet clean the spill area to remove all traces of debris. Battery debris and cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
Battery Electrolyte:	Personal Precautions:	Ensure suitable, acid resistant personal protective clothing (including heavy duty gloves, safety glasses and respiratory protection) is worn during removal and clean-up of spillages.
	Environmental Precautions:	Battery electrolyte must not be allowed to enter any drains or sewage system or water course.
	Methods & material for containment and cleaning up:	Small spillages: Neutralise and absorb the spillage using soda ash, sodium bicarbonate (available from supermarkets), sodium carbonate or calcium carbonate powder. Wet clean the spill area to remove all traces of debris. Battery debris and cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13. Large spillages:
		Large amounts of electrolyte spillage are unlikely with VRLA batteries since the electrolyte is fully absorbed in the active materials and separator. Bund the spillage area using dry sand, earth, sawdust or other inert material. Neutralise the electrolyte using soda ash, sodium bicarbonate (available from supermarkets), sodium carbonate or calcium carbonate powder. Wet clean the spill area to remove all traces of debris and electrolyte. Cleaning materials must be collected and placed in an inert sealed container (e.g. self-seal plastic bag or bucket) for disposal, see Section 13.
Case Material:	Clean-up Methods:	Assume battery case material is contaminated and proceed as for Plate Grids and Active Materials above
Separator Material:	Clean-up Methods:	Assume *separator material is contaminated and proceed as for Plate Grids and Active Materials above.

Note: If appropriate refer to Sections 8 and 13

7	HANDLING AND STORAGE		
	Component:		Action
7.1	VRLA Battery	Precautions For Safe Handling:	Only trained operators should be allowed to handle VRLA batteries. *CAUTION: Batteries are 'live' at all times: there is no "ON" / "OFF" switch.
			PPE: No specialist protective clothing or equipment is required, except that for handling heavy weights. *It is good practice to wear safety footwear.
			Hygiene: There are no specialist requirements beyond good, standard workplace practices: *no smoking; no eating; wash hands before eating.
			Mechanical lifting aides: (e.g. FLT and pallet trucks) will be required to move pallets of batteries. Weight approximately 1 tonne.
			Mechanical handling aides: (e.g. trucks and lifters) will be required to handle individual batteries over 25 kg in weight.
ĺ			General Safety Considerations: Do not drop batteries: dents and deformation of the case may be an indication of internal damage to the battery. Cracks will allow electrolyte to escape. Do not place VRLA Batteries lid-to-lid so that terminals will short-circuit.

Note: If appropriate refer to Sections 8 and 13



7	HANDLING AND STORAGE	Continued	
7.1 cont.	VRLA Battery	Conditions For Safe Storage,	Store under a roof and protect against direct sunlight and adverse weather conditions including rain, snow and other sources of water.
		Including Incompatibilities:	Storage of large quantities of VRLA batteries may require approval from local environmental protection agency and/or local water authorities.
			Pallets of VRLA Batteries are heavy. Store at ground level or in lower levels of storage
			systems (e.g. racking).
			Take special care in dry conditions to avoid the risk of electrostatic discharges.
			Protect against physical damage and exposure to organic solvents and other incompatible materials.
			Do not store VRLA batteries close to sources of heat, naked flames and sparks.
			Store batteries in their original packaging wherever possible. When batteries are removed from their original packaging (e.g. for transportation of small quantities), ensure new packaging protects the batteries from damage and the risk of short-circuit of the terminals.
			Ensure battery storage and top-charging areas are well ventilated. *DO NOT PLACE VRLA INDUSTRIAL BATTERIES IN A GAS-TIGHT ENCLOSURES DURING STORAGE, TRANSPORT OR USAGE.
			Ensure batteries are removed from equipment at the end of life and are collected for recycling by an approved contractor.
		End-of-Life	Refer to EN 50272-1:2010, Safety requirements for secondary batteries and battery
		(EC WEEE	installations – Part 1 General safety information.
		Regulations)	2. Refer to EN 50272-2:2001, Safety requirements for secondary batteries and battery
			installations – Part 2 Stationary batteries.
8	EXPOSURE CONTROL/ PE	RSONAL PROTECTION	N
	Components:		
8.1	VRLA Battery	Control Parameters:	There are no special control parameters for the handling, storage, installation of VRLA Batteries. VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approximately 4% to 76%. Never install VLRA *industrial batteries in a gas-tight enclosure during storage, transport or usage.
8.2		Exposure Control:	There are no special exposure controls for the handling, storage, installation or us of VRLA Batteries.
8.3		Personal Protection:	When there is no evidence of damage or visible traces of liquid (electrolyte) or solid deposits on the batteries they may be handled safely without extra personal protective equipment.
			Ensure electrical insulation equipment is used when installing batteries.
			(e.g. insulated mats and covers; insulated tools)
			Remove ALL metallic objects from the person when working with VRLA Batteries:
			e.g. Jewellery (rings, watches, bracelets, necklaces), pens, torches, etc.
			Where there are signs of damage or liquid (electrolyte) or solid deposits, acid resistant gloves and clothing must be worn when handling the batteries and
			*contaminated packaging to protect against the effects of any electrolyte that may be present.
			If it is suspected that free electrolyte is present, then safety glasses must be worn, and if large amounts are present, chemical goggles or face shield should be used.
		UL CAUTIONARY	"Warning: Risk of fire, explosion, or burns. Do not disassemble; heat above
		STATEMENT:	50°C; or incinerate".



9	PHYSICAL AND CHEMI	CAL PROPERTI	ES		
	Components				
9.1	VRLA Battery	b) The unda subjected to Retardant Al battery type;	high temperatures or so BS cases, see technica e.g. PS-1270 V0. Som	nufactured article in an inert plastic ources of ignition. Some battery ty I specification. These batteries usu e battery types are not available in	pes are made with Flame ually carry the suffix 'V0' after the n Flame Retardant ABS cases.
	formation below refers to nation is published for refer		chemical properties of t	the main VRLA Battery componen	ts and substances. This
		Appearance)	Safety-related data	
9.2	Plate Grids and	Form:	Solid	Solidification point	327 °C
	Active materials:	Colour:	Grey or brown	Boiling point	1740 °C
		Odour:	Odourless	Solubility in water	Very low (0.15mg/l)
				Solubility in acid or alkaline solutions	Yes, dependant on the strength of solution.
				Density (at 20°C)	11.35 g/cm ³
9.3				Vapour pressure (at 20°C)	Undetectable
5.5	Battery Electrolyte:	Form:	Liquid	Solidification point	-35 to -60 °C
		Colour:	Colourless	Boiling point	Approx. 108 to 114 °C
		Odour:	Colourless	Solubility in water	Complete
				Density (at 20°C)	Variable up to 1.350 g/cm ³
9.4				Vapour pressure (at 20°C)	10-20 mmHg
	Case Material:	Form:	Solid	Softening point	> 100 °C (DIN 53460)
		Colour:	Grey & Blue/ Orange	Flash Point	>330 °C
		Odour:	Slight odour	Solubility in water	Insoluble
				Solubility in other solvents	Soluble in polar solvents, aromatic solvents, chlorinated hydrocarbons.
				Density (at 20°C)	1.07-1.4 g/cm ³ (DIN 53479)
9.5				Vapour pressure (at 20°C)	Undetectable
	Separator Material:	Form:	Fibrous material	Solidification point	820°C
		Colour:	White	Boiling point	>2500°C
		Odour:	Odourless	Solubility in water	Insoluble
				Density (at 20°C)	2.23g/cm ³
				Vapour pressure (at 20°C)	Undetectable
10	STABILITY AND REACT	IVITY			
	Components				
10.1	VRLA battery	Stability		Within the operational temperatuundamaged product is stable	re range -20 to +50 °C the
10.2	Plate Grids and Active materials:	Materials & (Conditions to Avoid:		with fused ammonium nitrate and sodium acetylide with chlorine trifluoride
10.3	Battery Electrolyte:	Possibility of	Hazardous Reactions:	Dilution of the higher concentral liberate excessive heat.	ted grades with water may
				Highly reactive with metals and On contact with metal with air. Destroys organic materials sucl Vigorous reaction with sodium h	h as cardboard, wood, textiles, etc.
		Hazardous [Decomposition	Sulphur oxide	
10.4	Case Material:		Conditions to Avoid:	To avoid thermal decomposition	n, do not overheat.
10.4				Starts to decompose at temperaPowerful oxidising agents.	
40.5		Hazardous o Product(s):	lecomposition	Monomers, other degradation p cyanide	oroducts, traces of hydrogen
10.5	Separator Material:	Stability:		Stable material.	
		Materials & 0	Conditions to Avoid:	• Incompatible with Hydrofluoric a Hydroxide	acid and concentrated Sodium
		Hazardous o	lecomposition	No hazardous polymerisation e.	xpected.



11	TOXICOLOGICAL INFOR	RMATION	
This in	nformation is of relevance	only if the VRLA Battery has suffered da	amage and is broken
	Components		
11.1	VRLA Battery		 This information does not apply to the undamaged VRLA Battery. It is of relevance if the battery is broken and the components are released to the environment. Exposure limits may vary according to national law and regulations.
11	TOXICOLOGICAL INFOR	RMATION Continued	
	Plate Grids: Metallic Lead, Lead alloys	Toxicity	 Toxic by ingestion or inhalation Chronic poison Lead is a poison that affects virtually every system in the body Symptoms include fatigue, headaches, constipation, aching bones and muscles, gastrointestinal tract disturbances and reduced appetite Blood Lead levels of 80 μg/dl and above have been associated with both acute and chronic effects of Lead poisoning
11.3	Active materials: Lead dioxide.	Toxicity	 Toxic by ingestion or inhalation Chronic poison Chronic exposure to Lead compounds may lead to a build-up of Lead in the body, giving rise to a variety of health problems, including anaemia, kidney and liver damage, impaired eyesight, memory loss and CNS² damage
11.4	Battery Electrolyte:	Dilute Sulphuric Acid	Corrosive, the more concentrated solutions can cause serious burns to the mouth, eyes and skin Harmful by ingestion and through skin contact
		ппаацоп.	Mist is a severe irritant to the respiratory tract. Fluid build up on the lung (pulmonary oedema) may occur up to 48 hours after exposure and could prove fatal
		Ingestion:	Will immediately cause severe corrosion of and damage to the gastrointestinal tract.
11.5	Battery Electrolyte:	Skin Contact:	Causes severe chemical burns
11.6		Eye Contact:	Risk of serious damage to eyes. Causes severe burns. May cause prolonged or permanent damage or even total loss of sight. Mist will cause irritation
11.7	Case Material:		According to information available the product is not harmful to health provided it is correctly handled and processed according to the given recommendations.
	Separator Material:		Based on animal implantation and epidemiologic studies glass microfibers are thought to have some limited carcinogenic potential and as such are designated as Group 2B materials (IARC, US). The material should be treated as a category 3 carcinogen (Europe).



12	ECOLOGICAL INFORMA	TION		
	nformation is of relevance or		s suffered damage ar	nd is broken
	Components	1		
12.1	VRLA Battery			This information does not apply to the undamaged VRLA Battery. It is of relevance if the battery is broken and the components are released into the environment.
12.2	Plate Grids and Active materials:	Metallic Lead, Lead allo Lead dioxide.	bys and	Chemical and physical treatment is required for the elimination of Lead from water. Waste water containing Lead must not be disposed of in an untreated condition.
		Effect in the aquatic en	vironment	 The general classification for Lead compounds, R50/53 does not apply to Battery Lead Oxide Tests in 2001 and 2005 have concluded that Battery Lead Oxide is NOT toxic for the environment; neither R50 nor R50/53 nor R51/53. Risk Phrase R52/53 (Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment) applies to Battery Lead Oxide Toxicity for fish: 96 h LC 50 > 100 mg/l Toxicity for daphnia: 48 h EC 50 > 100 mg/l Toxicity for alga: 72 h IC 50 > 10 mg/l
12.3	Battery Electrolyte:	Eco toxicity:	<u>(!)</u>	In order to avoid damage to the sewerage system, the acid has to be neutralised by means of soda ash, sodium bicarbonate or sodium carbonate before disposal. Ecological damage is possible by change of pH. The electrolyte solution reacts with water and organic substances, causing damage to flora and fauna. The electrolyte may also contain components of Lead that can be toxic to aquatic environments
	Persistence and Degradat		dation	Remains indefinitely in the environment as sulphate
12.4	Case Material:	Elimination information:		No data available: insoluble in water
		Behaviour and environr fate:	nental	Due to the consistency of the product, and its insolubility in water, it will apparently not be bio-available
12.5	Separator Material:			No data available: insoluble in water Not thought to pose any risk to the environment.
13	DISPOSAL CONSIDERAT	IONS		
	Components			
13.1	VRLA Battery	Europe:	2006/66/EC on batte Spent (used) VRLA contractor at the end • The WEEE Directive	ve 2002/96/EC (Waste Electrical and Electronic Equipment) applies. Batteries MUST be removed from electrical and
		Worldwide:	damaging to the env • Spent (used) batte accordance with loc • VRLA batteries mu • At the end of life VI amount of electrical	ries must be disposed of in an environmentally friendly manner in all national laws and regulations. Inst not be dismantled, burnt or incinerated as a means of disposal RLA batteries may still be electrically 'live' and contain a large energy. The same care and attention to safe handling should andling new batteries. Particular care must be taken to avoid
13.2	Plate Grids and Active materials:	Europe Worldwide		active materials (Lead Oxides) must be recycled. carried out in accordance with the European Hazardous Waste C



13	DISPOSAL CONSIDERA	TIONS Continued	
13.3	Battery Electrolyte:	Europe	Disposal must be carried out in accordance with the European Hazardous Waste Directive 2008/98/EC on the protection of the environment through criminal law
		Worldwide General	Disposal should be in accordance with local, state or national legislation. Battery electrolyte is dilute Sulphuric Acid, the strength of which depends on the state of charge of the batteries. It must be neutralised before disposal. See Section 6 for clean-up and disposal advice.
13.4	Case Material:		 Do not dispose of this product into sewers, any ocean or water course in order to prevent marine animals and birds from ingesting. Recycling is encouraged. Disposal by controlled incineration or source landfill in accordance with local national laws and regulations may be acceptable
13.5	Separator Material:		 Constitutes a special waste by virtue of hazardous substance content. Dispose of via approved landfill site. Disposal by controlled source landfill in accordance with local national laws and regulations may be acceptable.
14	TRANSPORT INFORMA	TION	·
	VRLA Battery	Land Transport	Land Transport (ADR / RID) • UN No: UN2800 • Classification ADR / RID: Class 8 • Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric storage • Packing Group ADR: not assigned • Tunnel code: E • ADR / RID: New and spent (used) batteries are exempt from all ADR /RID SP 598)
		Sea Transport	Sea transport (IMDG Code) • UN No: UN2800 • Classification: Class 8 • Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric storage • EmS: F-A, S-B Non-Spillable batteries meet the requirements of Special Provision 238; they are exempt from all IMDG codes and are not subject to special regulation for sea Transport
		Air Transport	Air Transport (IATA-DGR) • UN No: 2800 • Classification: Class 8 • Proper Shipping Name: BATTERIES, WET, NON-SPILLABLE electric storage • Special Provision A48: Packaging test are not considered necessary • Special Provision A67: Power-Sonic's VRLA batteries meet the requirements of Packing Instruction 872. The battery has been prepared for transport so as to prevent: a) A short-circuit of the battery's terminals by packaging in a strong and sturdy carton box; AND/OR b) The battery has been fitted with an insulating cover (made from ABS) which prevents contact with the terminals. c) Unintentional activation is thus prevented The words "NOT RESTRICTED" and the Special Provision (SP) number must be indicated on all shipping documents • Special Provision: A164: The battery has been prepared for transport so as to prevent: a) Short-circuit of the battery's terminals by packaging in a strong and sturdy carton box; AND/OR b) The battery has been fitted with a cover (made from ABS) which prevents contact with the terminals c) Unintentional activation is thus prevented
		All methods of transport:	DO NOT PLACE VRLA BATTERIES INSIDE SEALED OR GAS-TIGHT ENCLOSURES VRLA Batteries emit hydrogen gas which is highly flammable and will form explosive mixtures in air from approximately 4% to 76%. This can be ignited by a spark at any voltage, naked flames or other sources of ignition



15	REGLATORY INFORMATION	N			
	Components				
15.1	VRLA Battery	Required Markings:		bin indicating "SEPARATE COLLECTION" for all batteries and accumulators with general domestic, commercial or industrial waste. ective 2006/66/EC	
		Pb		tes the heavy metal content of the battery and enables the be sorted for recycling. ective 2006/66/EC.	
			to facilitate the identifi	ycling Symbol, required by law in many countries world-wide cation of secondary batteries and accumulators for recycling Ref: arking of secondary cells and batteries with the International 0 7000-1135.	
		EC Directives	accumulators. Paragra "Directive 2002/95/EC restriction of the use of	c, on batteries and accumulators and waste batteries and aph (Recital) 29 states: c of the European Parliament and of the Council of 27 January 2003 on the of certain hazardous substances in electrical and electronic equipment does and accumulators used in electrical and electronic equipment."	
16	OTHER INFORMATION				
	Components				
16.1	Abbreviations	Ba – the chemical s Ca – the chemi Calcium Sn – the for Tin PbO2 – the chemical H2SO4 – the chemi	Pb – the chemical symbol for Lead Ba – the chemical symbol for Barium Ca – the chemical symbol for Calcium Sn – the chemical symbol for Tin PbO2 – the chemical formulae for Lead Dioxide H2SO4 – the chemical formulae for Sulphuric Acid VRLA – Valve Regulated Lead-Acid battery		
16.2	Key literature References			nents and raw materials	
16.3	CLP Regulations	Not Applicable			
16.4	*Hazard Statements (H-Statements	Chemicals (GHS). when appropriate, the In the European Uni	art of the Globally Harmonized System of Classification and Labelling of vide standardized wording to indicate the hazards of a product including, d. eplace Risk phrases (R-phrases), as the GHS is		
		priaseu in per Regu	ation (EC) No 1272/20	08 (6.6 MB PDF file).	
		H-No.	ation (EC) No 1272/20 R-No.		
				08 (6.6 MB PDF file).	
		H-No.	R-No.	08 (6.6 MB PDF file). Hazard Statements (H-Statements)	
		H-No. H312	R-No. R21	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin	
		H-No. H312 H302	R-No. R21 R22	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed	
		H-No. H312 H302 H331	R-No. R21 R22 R23	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation	
		H-No. H312 H302 H331 H311	R-No. R21 R22 R23 R24	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation Toxic in contact with skin	
		H-No. H312 H302 H331 H311	R-No. R21 R22 R23 R24 R25	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation Toxic in contact with skin Toxic if swallowed	
		H-No. H312 H302 H331 H311 H307	R-No. R21 R22 R23 R24 R25 R35	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation Toxic in contact with skin Toxic if swallowed Causes severe burns	
		H-No. H312 H302 H331 H311 H307 H314	R-No. R21 R22 R23 R24 R25 R35 R36	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation Toxic in contact with skin Toxic if swallowed Causes severe burns Irritating to eyes	
		H-No. H312 H302 H331 H311 H307 H314 H319	R-No. R21 R22 R23 R24 R25 R35 R36 R37	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation Toxic in contact with skin Toxic if swallowed Causes severe burns Irritating to eyes Irritating to respiratory system	
		H-No. H312 H302 H331 H311 H307 H314 H319 H335	R-No. R21 R22 R23 R24 R25 R35 R36 R37 R38	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation Toxic in contact with skin Toxic if swallowed Causes severe burns Irritating to eyes Irritating to respiratory system Irritating to skin	
		H-No. H312 H302 H331 H311 H307 H314 H319 H335 H315 H351	R-No. R21 R22 R23 R24 R25 R35 R36 R37 R38 R40	08 (6.6 MB PDF file). Hazard Statements (H-Statements) Harmful in contact with skin Harmful if swallowed Toxic by inhalation Toxic in contact with skin Toxic if swallowed Causes severe burns Irritating to eyes Irritating to respiratory system Irritating to skin Suspected of causing cancer	



16.5	Training Advice	 Only trained, competent personnel, who have received special instructions for the hazards and risks, should be allowed to handle VRLA Batteries. See Section 7.1 for general advice
	Further Information	To ensure the safe use of VRLA Industrial Batteries supplied by Power- Sonic, the following precautions must be observed: • Never short-circuit battery terminals, since sparks and arcs produced can injure personnel and are a fire and explosion hazard. • Batteries must always be charged on a voltage-regulated charging system with adequate ventilation provided to avoid the build-up of ignitable gases and to promote good heat dissipation. • Do not charge VLRA Batteries above + 50 °C, discharge or store above + 60 °C. • Under extreme conditions of charging equipment malfunction and/or battery failure, high voltage and high temperature conditions may occur causing the evolution of Hydrogen Sulphide (H₂S) gas, which is toxic. If detected by its odour of rotten eggs (at extremely low concentrations), switch off the charging equipment, evacuate all personnel from the area and ventilate well. Seek advice before attempting to re-start charging.