

POWERSPORT SERIES

BATTERY APPLICATIONS:
UTILITY VEHICLE



POWERSPORT SERIES

BATTERY APPLICATIONS: UTILITY VEHICLE



ARCTIC CAT

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
1000	Prowler 1000	16-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	-	-
	Wildcat 1000, Wildcat 1000 LTD	16-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	-	-
700	Prowler 700	-09	-	-	PIX50LBS-FS		PIX50L-BS	C50-N18L-A-LM	-
	Prowler 700 HDX	10-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	CB30L-B	-
	Wildcat, Sport, Trail	11-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	-	-
		16-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	-	-
650	Prowler 650	06-09	-	-	PIX50LBS-FS		PIX50L-BS	C50-N18L-A-LM	-
550	Prowler 550	-09	-	-	PIX50LBS-FS		PIX50L-BS	-	-
	Prowler 550	10-15	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	CB30L-B	-
500	Prowler 500	17	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-BS	-	-
	HDX500 XT	17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	-	-

BRP (CAN-AM)

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
1000	Commander 1000	11-17	-	PTX20HLBS-FS†	PTX20LBS-FS†		-	-	-
	Defender	16-17	-	PTX20HLBS-FS†	PTX20LBS-FS†		-	-	-
	Defender XT	16-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	-	-
	Maverick	13-17	-	PTX20HLBS-FS†	PTX20LBS-FS†		-	-	-
800	Commander 800	11-17	-	PTX20HLBS-FS†	PTX20LBS-FS†		-	-	-
	Defender	16-17	-	PTX20HLBS-FS†	PTX20LBS-FS†		-	-	-
	Defender XT	16-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-BS	-	-

HONDA

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
1000	Pioneer 1000	16	-	-	PTZ16H		-	-	-
700	MUV700 Big Red	08-13	-	PTZ16H	PTX14BS-FS		PTX14-BS	-	-
	SXS700 Pioneer	15-16	-	PTZ16H	PTX14BS-FS		PTX14-BS	-	-
500	Pioneer 500	15-16	-	-	PTZ16H		-	-	

KAWASAKI

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
800	Teryx All Model(US)	08-15	-	-	-		-	-	U1(9)
	Teryx All Model(CN)	08-15	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-BS	-	-
750	Teryx All Model(US)	08-16	-	-	-		-	-	U1(9)
	Teryx All Model(CN)	08-16	-	PTZ16H†	PTX14BS-FS†		-	-	-
650	KAF650 Mule 4010 4x4	09	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-BS	-	-
620	KAF620,Mule3010 4x4 Advantage	-11	-	-	-		-	-	U1(9)
	KAF620F, Mule 4010 4x4(US)	09-16	-	-	-		-	-	U1(9)
	KAF620F, Mule 4010 4x4(CN)	09-16	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-BS	-	-
	Mule 4010 Trans4x4, Diesel Mule 4000	09-16	-	-	-		-	-	U1(9)
	Classic	05-07	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-BS	-	-
540	KAF620, Mule 3000, 3010, 3020		-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-BS	-	-
	KAF620, Mule2500, 2510, 2520		-	-	PTX19CLBS-FS		PTX19CL-BS	CB16CL-B	-
	KAF540, Mule 2010, 2020, 2030		-	-	PTX19CLBS-FS		PTX19CL-BS	CB16CL-B	-
450	KAF450, Mule 1000		-	-	PTX19CLBS-FS		PTX19CL-BS	CB16CL-B	-
400	KAF400, Mule 600, 610	05-16	-	-	PTX14AHBS-FS		PTX14AH-BS	CB14A-A2	-
360	Advantage Classic	03-07	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-BS	-	-
300	KAF300, Mule 500, 520, 550		-	-	PTX14AHBS-FS		PTX14AH-BS	CB14A-A2	-

CORPORATE HEADQUARTERS (USA AND INTERNATIONAL EXCLUDING EMEA)

Power-Sonic Corporation
7550 Panasonic Way, San Diego, California 92154
T: +1 (619) 661 2020
F: +1 (619) 661 3650
E: customer-service@power-sonic.com

POWER-SONIC EUROPE LIMITED (EMEA – EUROPE, MIDDLE EAST AND AFRICA)

3 Buckingham Square, Hurricane Way, Wickford, Essex SS11 8YQ
T: +44 (0)1268 560686
F: +44 (0)1268 560902
E: salesEMEA@power-sonic.com

- # The PTX20 series batteries may be used as an optional upgrade, but some modification to the hold down may be necessary. See battery label for retrofit cautions.
- † Must use factory activated battery.
- * Must use adapter kit available from Buell.
- < Requires use of Cover/Spacer Kit.
- + Eliminates need for sensor (needs to be disabled).
- ≈ This battery includes a sensor.
- ** When ordering this battery, specify sensor.
- ++ Must use existing terminal adapter.
- ± G3SS & G3TR models having the engine production #235611 and above, use a 6N4-2A-5 battery.

POWERSPORT SERIES

BATTERY APPLICATIONS: UTILITY VEHICLE



KYMCO

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
700	UXV700	-16	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-B	-	-
500	UXV500	-16	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-B	-	-
450	UXV450	-16	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-B	-	-

POLARIS

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
1000	RZR XP 1000, Turbo 4	14-17	-	-	P26RH-FS		-	-	-
	Ranger General	16-17	-	-	P26RH-FS		-	-	-
	Ranger Diesel	15-17	-	-	P26RH-FS		-	-	-
900	Ranger RZR	11-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	-	-
	Ranger Diesel	14-17	-	-	P26RH-FS		-	-	-
	Ranger XP	13-17	-	-	P26RH-FS		-	-	-
800	Ranger Crew	14-17	-	-	P26RH-FS		-	-	-
	Ranger RZR	08-14	-	-	PTX20HLBS-FS		-	-	-
	Ranger RZR 4	10-14	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	-	-
700	Ranger	10-14	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	CB30L-B	-
	Ranger 6x6	14-16	-	-	P26RH-FS		-	-	-
	Ranger 6x6, 4x4	06-10	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	-	-
570	RZR 570	12-17	-	-	PTX14AHBS-FS		PTX14AH-B	CB14-B2	-
	RZR 570 EPS	13-17	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	CB30L-B	-
	Ranger 4x4	14-16	-	-	PTX14AHBS-FS		PTX14AH-B	CB14-B2	-
500	Ranger 4x4	04-10	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	CB30L-B	-
	Ranger 4x4	11-13	-	-	PTX14AHBS-FS		PTX14AH-B	CB14-B2	-
	Ranger 6x6, 4x4	98-04	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	CB30L-B	-
425	Ranger 2x4	02-03	PIX32HLBS-FS	PIX30HLBS-FS	PIX30LBS-FS		PIX30L-B	CB30L-B	-
400	Ranger 400	11-14	-	-	PTX14AHBS-FS		PTX14AH-B	CB14-B2	-
170	Ranger RZR	16-17	-	-	PTX12BS-FS		PTX12-B	-	-

SUZUKI

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
620	QUV620F	05	-	PTX20HLBS-FS	PTX20LBS-FS		PTX20L-B	-	-

YAMAHA

cc	Model	Year	Additional Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free Upgrade AGM	Factory Sealed, Maintenance Free AGM	Locally Activated Sealed Maintenance Free Upgrade AGM	Locally Activated Sealed Maintenance Free AGM	High Performance Conventional Lead Acid	Conventional Lead Acid
	All Models	All	-	-	P11U1LD-FS		-	-	-



CORPORATE HEADQUARTERS (USA AND INTERNATIONAL EXCLUDING EMEA)

Power-Sonic Corporation
7550 Panasonic Way, San Diego,
California 92154
T: +1 (619) 661 2020
F: +1 (619) 661 3650
E: customer-service@power-sonic.com

POWER-SONIC EUROPE LIMITED (EMEA – EUROPE, MIDDLE EAST AND AFRICA)

3 Buckingham Square,
Hurricane Way, Wickford,
Essex SS11 8YQ
T: +44 (0)1268 560686
F: +44 (0)1268 560902
E: salesEMEA@power-sonic.com

- # The PTX20 series batteries may be used as an optional upgrade, but some modification to the hold down may be necessary. See battery label for retrofit cautions.
- † Must use factory activated battery.
- * Must use adapter kit available from Buell.
- < Requires use of Cover/Spacer Kit.
- + Eliminates need for sensor (needs to be disabled).
- ≈ This battery includes a sensor.
- ** When ordering this battery, specify sensor.
- ++ Must use existing terminal adapter.
- ± G3SS & G3TR models having the engine production #235611 and above, use a 6N4-2A-5 battery.



CORPORATE HEADQUARTERS (USA AND INTERNATIONAL EXCLUDING EMEA)

Power-Sonic Corporation
7550 Panasonic Way, San Diego,
California 92154

T: +1 (619) 661 2020

F: +1 (619) 661 3650

E: customer-service@power-sonic.com

POWER-SONIC EUROPE LIMITED (EMEA – EUROPE, MIDDLE EAST AND AFRICA)

3 Buckingham Square,
Hurricane Way, Wickford,
Essex SS11 8YQ

T: +44 (0)1268 560686

F: +44 (0)1268 560902

E: salesEMEA@power-sonic.com

KEEPING YOU **IN CHARGE**

Power Sonic is dedicated to continual product development enabling us to offer solutions for all industry specifications globally. We pride ourselves on product quality, performance and reliability, meeting the industry standards and approvals.

To ensure safe and efficient operation always refer to the latest edition of our Technical Manual, as published on our website.
© 2018. Power-Sonic Corporation. All rights reserved. All trademarks are the property of their respective owners.
All data subject to change without notice. E&O.E